

Banana

AP[®] CALCULUS AB
2007 SCORING GUIDELINES (Form B)

Question 5

Consider the differential equation $\frac{dy}{dx} = \frac{1}{2}x + y - 1$.


(a) On the axes provided, sketch a slope field for the given differential equation at the nine points indicated.

(Note: Use the axes provided in the exam booklet.)


(b) Find $\frac{d^2y}{dx^2}$ in terms of x and y . Describe the region in the xy -plane in which all solution curves to the differential equation are concave up.

(c) Let $y = f(x)$ be a particular solution to the differential equation with the initial condition $f(0) = 1$. Does f have a relative minimum, a relative maximum, or neither at $x = 0$? Justify your answer.

(d) Find the values of the constants m and b , for which $y = mx + b$ is a solution to the differential equation.



(a)



(b) $\frac{d^2y}{dx^2} = \frac{1}{2} + \frac{dy}{dx} = \frac{1}{2}x + y - \frac{1}{2}$

Solution curves will be concave up on the half-plane above the line $y = -\frac{1}{2}x + \frac{1}{2}$.

(c) $\left. \frac{dy}{dx} \right|_{(0,1)} = 0 + 1 - 1 = 0$ and $\left. \frac{d^2y}{dx^2} \right|_{(0,1)} = 0 + 1 - \frac{1}{2} > 0$

Thus, f has a relative minimum at $(0, 1)$.

(d) Substituting $y = mx + b$ into the differential equation:

$$m = \frac{1}{2}x + (mx + b) - 1 = \left(m + \frac{1}{2}\right)x + (b - 1)$$

Then $0 = m + \frac{1}{2}$ and $m = b - 1$: $m = -\frac{1}{2}$ and $b = \frac{1}{2}$.

2 : Sign of slope at each point and relative steepness of slope lines in rows and columns.

3 : $\begin{cases} 2 : \frac{d^2y}{dx^2} \\ 1 : \text{description} \end{cases}$

2 : $\begin{cases} 1 : \text{answer} \\ 1 : \text{justification} \end{cases}$


2 : $\begin{cases} 1 : \text{value for } m \\ 1 : \text{value for } b \end{cases}$

AP[®] CALCULUS AB
2006 SCORING GUIDELINES (Form B)

Question 5


Consider the differential equation $\frac{dy}{dx} = (y - 1)^2 \cos(\pi x)$.

- (a) On the axes provided, sketch a slope field for the given differential equation at the nine points indicated.
(Note: Use the axes provided in the exam booklet.)



- (b) There is a horizontal line with equation $y = c$ that satisfies this differential equation. Find the value of c .
(c) Find the particular solution $y = f(x)$ to the differential equation with the initial condition $f(1) = 0$.

(a)



- (b) The line $y = 1$ satisfies the differential equation, so $c = 1$.

(c) $\frac{1}{(y - 1)^2} dy = \cos(\pi x) dx$

$$-(y - 1)^{-1} = \frac{1}{\pi} \sin(\pi x) + C$$

$$\frac{1}{1 - y} = \frac{1}{\pi} \sin(\pi x) + C$$

$$1 = \frac{1}{\pi} \sin(\pi) + C = C$$

$$\frac{1}{1 - y} = \frac{1}{\pi} \sin(\pi x) + 1$$

$$\frac{\pi}{1 - y} = \sin(\pi x) + \pi$$

$$y = 1 - \frac{\pi}{\sin(\pi x) + \pi} \text{ for } -\infty < x < \infty$$

2 : $\begin{cases} 1 : \text{zero slopes} \\ 1 : \text{all other slopes} \end{cases}$

1 : $c = 1$

6 : $\begin{cases} 1 : \text{separates variables} \\ 2 : \text{antiderivatives} \\ 1 : \text{constant of integration} \\ 1 : \text{uses initial condition} \\ 1 : \text{answer} \end{cases}$

Note: max 3/6 [1-2-0-0-0] if no constant of integration


Note: 0/6 if no separation of variables

**AP[®] CALCULUS AB
2006 SCORING GUIDELINES**

Question 5


Consider the differential equation $\frac{dy}{dx} = \frac{1+y}{x}$, where $x \neq 0$.

- (a) On the axes provided, sketch a slope field for the given differential equation at the eight points indicated.
(Note: Use the axes provided in the pink exam booklet.)



- (b) Find the particular solution $y = f(x)$ to the differential equation with the initial condition $f(-1) = 1$ and state its domain.

(a)



2 : sign of slope at each point and relative steepness of slope lines in rows and columns

(b) $\frac{1}{1+y} dy = \frac{1}{x} dx$

$$\ln|1+y| = \ln|x| + K$$

$$|1+y| = e^{\ln|x|+K}$$

$$1+y = C|x|$$

$$2 = C$$

$$1+y = 2|x|$$

$$y = 2|x| - 1 \text{ and } x < 0$$

or

$$y = -2x - 1 \text{ and } x < 0$$

6 : { 1 : separates variables
2 : antiderivatives
1 : constant of integration
1 : uses initial condition
1 : solves for y

7 : { Note: max 3/6 [1-2-0-0-0] if no constant of integration
Note: 0/6 if no separation of variables
1 : domain

AP[®] CALCULUS AB
2008 SCORING GUIDELINES (Form B)

Question 6

Consider the closed curve in the xy -plane given by

$$x^2 + 2x + y^4 + 4y = 5.$$

- (a) Show that $\frac{dy}{dx} = \frac{-(x+1)}{2(y^3+1)}$.
- (b) Write an equation for the line tangent to the curve at the point $(-2, 1)$.
- (c) Find the coordinates of the two points on the curve where the line tangent to the curve is vertical.
- (d) Is it possible for this curve to have a horizontal tangent at points where it intersects the x -axis? Explain your reasoning.

(a) $2x + 2 + 4y^3 \frac{dy}{dx} + 4 \frac{dy}{dx} = 0$

$$(4y^3 + 4) \frac{dy}{dx} = -2x - 2$$

$$\frac{dy}{dx} = \frac{-2(x+1)}{4(y^3+1)} = \frac{-(x+1)}{2(y^3+1)}$$

$$2 : \begin{cases} 1 : \text{implicit differentiation} \\ 1 : \text{verification} \end{cases}$$

(b) $\left. \frac{dy}{dx} \right|_{(-2,1)} = \frac{-(-2+1)}{2(1+1)} = \frac{1}{4}$

Tangent line: $y = 1 + \frac{1}{4}(x + 2)$

$$2 : \begin{cases} 1 : \text{slope} \\ 1 : \text{tangent line equation} \end{cases}$$

- (c) Vertical tangent lines occur at points on the curve where $y^3 + 1 = 0$ (or $y = -1$) and $x \neq -1$.

On the curve, $y = -1$ implies that $x^2 + 2x + 1 - 4 = 5$, so $x = -4$ or $x = 2$.

Vertical tangent lines occur at the points $(-4, -1)$ and $(2, -1)$.

$$3 : \begin{cases} 1 : y = -1 \\ 1 : \text{substitutes } y = -1 \text{ into the} \\ \quad \text{equation of the curve} \\ 1 : \text{answer} \end{cases}$$

- (d) Horizontal tangents occur at points on the curve where $x = -1$ and $y \neq -1$.

The curve crosses the x -axis where $y = 0$.

$$(-1)^2 + 2(-1) + 0^4 + 4 \cdot 0 \neq 5$$


No, the curve cannot have a horizontal tangent where it crosses the x -axis.

$$2 : \begin{cases} 1 : \text{works with } x = -1 \text{ or } y = 0 \\ 1 : \text{answer with reason} \end{cases}$$

**AP[®] CALCULUS AB
2005 SCORING GUIDELINES (Form B)**

Question 6

Consider the differential equation $\frac{dy}{dx} = \frac{-xy^2}{2}$. Let $y = f(x)$ be the particular solution to this differential equation with the initial condition $f(-1) = 2$.




(a) On the axes provided, sketch a slope field for the given differential equation at the twelve points indicated.

(Note: Use the axes provided in the test booklet.)

(b) Write an equation for the line tangent to the graph of f at $x = -1$.

(c) Find the solution $y = f(x)$ to the given differential equation with the initial condition $f(-1) = 2$.

(a)



(b)
$$\text{Slope} = \frac{-(-1)4}{2} = 2$$

$$y - 2 = 2(x + 1)$$

(c)
$$\frac{1}{y^2} dy = -\frac{x}{2} dx$$

$$-\frac{1}{y} = -\frac{x^2}{4} + C$$

$$-\frac{1}{2} = -\frac{1}{4} + C; C = -\frac{1}{4}$$

$$y = \frac{1}{\frac{x^2}{4} + \frac{1}{4}} = \frac{4}{x^2 + 1}$$

2 : $\begin{cases} 1 : \text{zero slopes} \\ 1 : \text{nonzero slopes} \end{cases}$

1 : equation

6 : $\begin{cases} 1 : \text{separates variables} \\ 2 : \text{antiderivatives} \\ 1 : \text{constant of integration} \\ 1 : \text{uses initial condition} \\ 1 : \text{solves for } y \end{cases}$

Note: max 3/6 [1-2-0-0-0] if no constant of integration


Note: 0/6 if no separation of variables

**AP[®] CALCULUS AB
2005 SCORING GUIDELINES**


Question 6

Consider the differential equation $\frac{dy}{dx} = -\frac{2x}{y}$.

- (a) On the axes provided, sketch a slope field for the given differential equation at the twelve points indicated.
(Note: Use the axes provided in the pink test booklet.)
- (b) Let $y = f(x)$ be the particular solution to the differential equation with the initial condition $f(1) = -1$. Write an equation for the line tangent to the graph of f at $(1, -1)$ and use it to approximate $f(1.1)$.
- (c) Find the particular solution $y = f(x)$ to the given differential equation with the initial condition $f(1) = -1$.



(a)



2 : $\begin{cases} 1 : \text{zero slopes} \\ 1 : \text{nonzero slopes} \end{cases}$

- (b) The line tangent to f at $(1, -1)$ is $y + 1 = 2(x - 1)$.
Thus, $f(1.1)$ is approximately -0.8 .

2 : $\begin{cases} 1 : \text{equation of the tangent line} \\ 1 : \text{approximation for } f(1.1) \end{cases}$

- (c) $\frac{dy}{dx} = -\frac{2x}{y}$
 $y \, dy = -2x \, dx$
 $\frac{y^2}{2} = -x^2 + C$
 $\frac{1}{2} = -1 + C; C = \frac{3}{2}$
 $y^2 = -2x^2 + 3$
 Since the particular solution goes through $(1, -1)$,
 y must be negative.
 Thus the particular solution is $y = -\sqrt{3 - 2x^2}$.

5 : $\begin{cases} 1 : \text{separates variables} \\ 1 : \text{antiderivatives} \\ 1 : \text{constant of integration} \\ 1 : \text{uses initial condition} \\ 1 : \text{solves for } y \end{cases}$

Note: max 2/5 [1-1-0-0-0] if no
constant of integration

Note: 0/5 if no separation of variables